

Visor

Polycarbonate Electricians Basic Visor

The clear 1,5 mm polycarbonate visor offers great impact resistance and protection against electric arc's up to 400 volts. The visor is designed to be combined with earmuffs, helmets and carriers for a full above the neck protection. The visor is approved to medium impact protection and is suitable for applications such as low voltage electrical work and molten metal work.

Features

- Up to 400 volt electric arc protection
- Great impact resistance



1. 20967-001 Polycarbonate Electricians Basic Visor

Overview/Features

Uniform visor design

All Hellberg visors follow the same shape and design, allowing any visor to fit any visor carrier. This makes it easy to swap between different visors for different work tasks without needing to change the carrier.

Quick and easy visor assembly

The face protection system mounts easily to any Hellberg hearing protector as well as safety helmets and stand-alone visor carriers. And it is as easily removed, perfect for when you are switching between different work tasks in noisy environments.

Protection against impacts

Tested to offer protection against impacts to a certain degree. Study the technical data to make sure it is in conformity to your requirements of impact protection.

Low voltage electric arc protection

Approved to protect the wearer against short circuit electric arcs, up to 400 volts.

Protection from liquid splashes

Tested to offer protection against liquid splashes and droplets.

High optical class for clear vision

The clear polycarbonate provides an excellent optical clearness with little to no diffusion. It allows a light transmittance of more than 90%.

Technical data

Weight	116 g
Length	200 mm
Thickness	1,5 mm

Approval Info

EN standards approval:	EN 166:2001
Eye and faceprotection markings:	2-1,2 1B389
ANSI approval:	ANSI Z87.1-2003
CSA approval:	ROHS, REACH
Environmental approvals:	